

## Conditions

### Ottoseal A215

Art.Nr.: a215 / manufacturer: [OTTO Chemie](#)




**4,09EUR** / cartridge

baseprice: 1,32EUR / 100 ml

incl. 19% VAT plus [shipping costs \(to DE\)](#)

#### Scaled Prices

from 20 Kartuschen 3,89EUR - you save 0,20EUR, baseprice:  
1,25EUR / 100 ml

 Delivery beginn within 1 - 3 days



#### Product info:

- \* Granular filler on acrylic base
- \* Fits by its granular components of the ideal of Putzstruktur

## Conditions

- \* For inside and outside suitable
- \* UV-resistant, vergilbungsfrei
- \* Practical motion recording 5%
- \* Can up to 48 hours at max. -10 ° C / transported
- \* Anstrichverträglich with recoat paints

### Applications:

- \* Closing of masonry and Putzrissen
- \* Verspachtelung of unevenness
- \* Concrete repair - officially tested, waterproof up to 10 bar
- \* Balancing track movement between the tiles and connecting joints in stoves

### Processing:

Processing temperature: +5 ° C to +35 ° C.

Affixing Method: By Hand Press, pneumatic or battery ausspritzen pistol.

Cleaning: With Terpentinersatz before curing, then with silicone or mechanically removed.

Smoothing: With Glättmittel and skin before Abziehspachtel education.

### Storage:

Cool and dry for at least 24 months shelf life.

### Delivery:

310 ml cartridge (20 KTU. Per carton)

### Color:

knows betongrau

>> Technical Data

### verfügbare Optionen

Color

## Conditions

lichtgrau  
weiß

---